## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application. Please cancel claims 4 and 16-18 without prejudice or disclaimer.

## **Listing of claims:**

- 1. (Currently amended) Open-celled foam beads having a mean bead diameter of from 1 to 10 mm and a bulk density of from 5 to 200 g/l based on a propylene polymer and having a proportion of open cells (in accordance with DIN ISO 4590) of greater than 40%75%, wherein the mean cell diameter is from 0.05 to 0.3 mm.
- 2. (Previously presented) Open-celled foam beads as claimed in claim 1, wherein the propylene polymer is a homopolymer or copolymer of propylene with up to 15% by weight of a monomer selected from the group consisting of ethylene and 1-butene and mixtures thereof.
- (Original) Open-celled foam beads as claimed in claim 1, which have, in the DSC
  thermodiagram, at least one high-temperature peak at a higher temperature than the melting
  peak of the propylene polymer employed.
- 4. (Canceled)
- 5. (Original) Open-celled foam beads as claimed in claim 1, which have a content of from 1 to 40% by weight of a cell opener.
- 6. (Withdrawn) A process for the production of open-celled foam beads as claimed in claim
  1 by impregnating propylene polymer beads in suspension with a volatile blowing agent in
  a pressure container at elevated temperature and subsequently decompressing the mixture,

wherein the propylene polymer beads comprise from 1 to 40% by weight of a cell opener.

- 7. (Withdrawn) A process as claimed in claim 6, wherein the blowing agent is an organic compound having a boiling point of between -5 and 150°C.
- 8. (Withdrawn) A process as claimed in claim 6, wherein the cell opener is a polar, water-insoluble thermoplastic.
- 9. (Withdrawn) A process as claimed in claim 6, wherein the cell opener is a needle-shaped inorganic solid.
- 10. (Withdrawn) A process as claimed in claim 6, wherein the cell opener is a water-soluble polymer.
- 11. (Withdrawn) An open-celled foam molding produced by post-expansion and sintering of the foam beads as claimed in claim 1.
- 12. (Withdrawn) The process as claimed in claim 6, wherein said blowing agent is selected from the group consisting of C<sub>4</sub>- to C<sub>6</sub>-hydrocarbons and inorganic gases.
- 13. (Withdrawn) The process as claimed in claim 8, wherein said polar, water-insoluble thermoplastic is selected from the group consisting of polyamide and polyoxymethylene.
- 14. (Withdrawn) The process as claimed in claim 9, wherein said inorganic solid is cut glass having a length of from 0.25 to 5 mm.
- 15. (Withdrawn) The process as claimed in claim 10, wherein said water-soluble polymer is selected from the group consisting of polyvinylpyrrolidone, polyvinyl acetate, and polyethylene oxide.

Application No. 10/519,801 Amendment dated September 30, 2009 After Final Office Action of June 1, 2009

16-18. (Canceled)

19. (Currently amended) Open-celled foam beads as claimed in claim 1, wherein the open-celled foam beads are produced from microgranules comprising of from 5 to 35% by weight of a cell opener selected from polyamid (PA), polyoxymethylene (PaM), polyvinylpyrrolidone (PVP), or a mixture thereof, and cut glass.

Docket No.: 12810-00007-US